

300-A02-025

JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
1"	25	1/8"	2	1/8"	3

NOTE:
TO DETERMINE BLOCKOUT DEPTH,
DEDUCT THICKNESS OF THE FLOOR
FINISH FROM FRAME HEIGHT


FINISH: MILL
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION-
RECESSED FLOOR/WALL CONDITION
NO BUMP GLIDE PLATE SEISMIC SYSTEM

DATE:	4-20-04
SCALE:	1:2
DOC:	CADJM.016/R3

inpro.

For More Information Visit: Inprocorp.com



300-A02-050

NOTE:
TO DETERMINE BLOCKOUT DEPTH,
DEDUCT THICKNESS OF THE FLOOR
FINISH FROM FRAME HEIGHT

JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
2"	51	3/8"	9	1/4"	6

FINISH: MILL

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION-
RECESSED FLOOR/WALL CONDITION
NO BUMP GLIDE PLATE SEISMIC SYSTEM


DATE: 4-20-04

SCALE: 1:2

DOC: CADJM.016/R3

inpro.

For More Information Visit: Inprocorp.com



300-A02-075

NOTE:
TO DETERMINE BLOCKOUT DEPTH,
DEDUCT THICKNESS OF THE FLOOR
FINISH FROM FRAME HEIGHT

JOINT WIDTH		MOVEMENT ±			
US	mm	HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
3"	76	9/16"	14	3/8"	10

FINISH: MILL

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION-
RECESSED FLOOR/WALL CONDITION
NO BUMP GLIDE PLATE SEISMIC SYSTEM


DATE: 4-20-04

SCALE: 1:2

DOC: CADJM.016/R3

inpro.

For More Information Visit: Inprocorp.com



300-A02-100

NOTE:
TO DETERMINE BLOCKOUT DEPTH,
DEDUCT THICKNESS OF THE FLOOR
FINISH FROM FRAME HEIGHT

JOINT WIDTH		MOVEMENT ±			
		HORIZONTAL		VERTICAL	
US	mm	US	mm	US	mm
4"	102	3/4"	20	1/2"	13

FINISH: MILL

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION-
RECESSED FLOOR/WALL CONDITION
NO BUMP GLIDE PLATE SEISMIC SYSTEM

DATE: 4-20-04

SCALE: 1:2

DOC: CADJM.016/R3

inpro.

For More Information Visit: Inprocorp.com