

## 353C-A24-150

JOINT WIDTH		MOVEMENT			
		MINIMUM		MAXIMUM	
US	mm	US	mm	US	mm
6"	152	2 3/4"	70	12"	305

FINISH: CLEAR ANODIZED

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION -  
CEILING/CEILING CONCEALED PAN EXPANSION JOINT SYSTEM-  
METAL PAN WITH CLEAR ANODIZED FINISH


DATE: 9/4/18

SCALE: 1:4

DOC: CADJM.235/R3

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



### 353C-A24-200

JOINT WIDTH		MOVEMENT			
		MINIMUM		MAXIMUM	
US	mm	US	mm	US	mm
8"	203	2 3/4"	70	16"	406

FINISH: CLEAR ANODIZED
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION -  
 CEILING/CEILING CONCEALED PAN EXPANSION JOINT SYSTEM-  
 METAL PAN WITH CLEAR ANODIZED FINISH

DATE:	9/4/18
SCALE:	1:4
DOC:	CADJM.235/R3




For More Information Visit: [Inprocorp.com](http://Inprocorp.com)

STAINLESS STEEL ARREST  
CABLE (8 PER PLATE)  
(J3Y018 / J3YCRIMP)  
SPHERICAL WASHER  
(7 PER PLATE @ 18"  
[457mm] O.C.) (JK150)

#12 x 2 1/2" [M5x65] HEX  
HEAD SHEET METAL  
SCREW (7 PER FRAME)  
(JK221)

#8 x 3/4" [M4 x 19mm] SS  
SOCKET HEAD SCREW, SS  
WASHER AND #8 [M4] SS  
LOCK NUT (JK240SS)

RUBBER GROMMET (J3Y005)



CONT. ALUM. JAMB FRAME  
(J3G350-F)

MAGNETIC SECURING  
SYSTEM (5 PER SIDE)  
SPACED EVENLY (J3M005)

#8 x 2 [M4x50] SHEET METAL  
SCREW (7 PER FRAME @  
18" [457mm] O.C.) (JK061)

CONT. ALUM. RECESSED  
WING (J3A351-F)

DRYWALL FEATHER  
COMPOUND (OPTIONAL,  
BY OTHERS)

1/2" [13mm] DEEP PAN  
W/ POP-UP BRACKETS  
(J3C0419-02-CE)

## 353C-A24-250

JOINT WIDTH		MOVEMENT			
		MINIMUM		MAXIMUM	
US	mm	US	mm	US	mm
10"	254	2 3/4"	70	20"	508

FINISH: CLEAR ANODIZED

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION -  
CEILING/CEILING CONCEALED PAN EXPANSION JOINT SYSTEM-  
METAL PAN WITH CLEAR ANODIZED FINISH

DATE: 9/4/18

SCALE: 1:4

DOC: CADJM.235/R3

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)


STAINLESS STEEL  
ARREST CABLE (8 PER  
PLATE) (J3Y018 /  
J3YCRIMP)

SPHERICAL WASHER  
(7 PER PLATE @ 18"  
[457mm] O.C.) (JK150)

#12 x 2 1/2" [M5x65] HEX  
HEAD SHEET METAL  
SCREW (7 PER FRAME)  
(JK221)

#8 x 3/4" [M4 x 19mm] SS  
SOCKET HEAD SCREW,  
SS WASHER AND #8 [M4]  
SS LOCK NUT (JK240SS)

#8 x 2 [M4x50] SHEET  
METAL SCREW (7 PER  
FRAME @ 18" [457mm]  
O.C.) (JK061)



CONT. ALUM. JAMB  
FRAME (J3G350-F)

RUBBER GROMMET  
(J3Y005)

MAGNETIC SECURING  
SYSTEM (5 PER SIDE)  
SPACED EVENLY  
(J3M005)

CONT. ALUM. RECESSED  
WING (J3A351-F)

DRYWALL FEATHER  
COMPOUND (OPTIONAL,  
BY OTHERS)

1/2" [13mm] DEEP PAN  
W/ POP-UP BRACKETS  
(J3C0495-02-CE)

### 353C-A24-300

JOINT WIDTH		MOVEMENT			
		MINIMUM		MAXIMUM	
US	mm	US	mm	US	mm
12"	305	2 3/4"	70	24"	610

FINISH: CLEAR ANODIZED

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION -  
CEILING/CEILING CONCEALED PAN EXPANSION JOINT SYSTEM-  
METAL PAN WITH CLEAR ANODIZED FINISH


DATE: 9/4/18

SCALE: 1:4

DOC: CADJM.235/R3



For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



### 353C-A24-400

JOINT WIDTH		MOVEMENT			
US	mm	US	mm	US	mm
16"	406	2 3/4"	70	32"	813

FINISH: CLEAR ANODIZED

PROJECT:

CUSTOMER:

LOCATION:


APPLICATION -  
 CEILING/CEILING CONCEALED PAN EXPANSION JOINT SYSTEM-  
 METAL PAN WITH CLEAR ANODIZED FINISH

DATE: 9/4/18

SCALE: 1:4

DOC: CADJM.235/R3





### 353C-A24-450

JOINT WIDTH		MOVEMENT			
		MINIMUM		MAXIMUM	
US	mm	US	mm	US	mm
18"	457	2 3/4"	70	36"	914

FINISH: CLEAR ANODIZED

PROJECT:

CUSTOMER:

LOCATION:


APPLICATION -  
 CEILING/CEILING CONCEALED PAN EXPANSION JOINT SYSTEM-  
 METAL PAN WITH CLEAR ANODIZED FINISH

DATE: 9/4/18

SCALE: 1:4

DOC: CADJM.235/R3





### 353C-A24-500

JOINT WIDTH		MOVEMENT			
		MINIMUM		MAXIMUM	
US	mm	US	mm	US	mm
20"	508	2 3/4"	70	40"	1016

FINISH: CLEAR ANODIZED

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION -  
CEILING/CEILING CONCEALED PAN EXPANSION JOINT SYSTEM-  
METAL PAN WITH CLEAR ANODIZED FINISH


DATE: 9/4/18

SCALE: 1:8

DOC: CADJM.235/R3

**inpro.**

For More Information Visit: [Inprocorp.com](http://Inprocorp.com)



### 353C-A24-600

JOINT WIDTH		MOVEMENT			
		MINIMUM		MAXIMUM	
US	mm	US	mm	US	mm
24"	610	2 3/4"	70	48"	1219

FINISH: CLEAR ANODIZED
PROJECT:
CUSTOMER:
LOCATION:

APPLICATION -  
 CEILING/CEILING CONCEALED PAN EXPANSION JOINT SYSTEM-  
 METAL PAN WITH CLEAR ANODIZED FINISH

DATE:	9/4/18
SCALE:	1:8
DOC:	CADJM.235/R3



For More Information Visit: [Inprocorp.com](http://Inprocorp.com)