# 150 Surface Mount Corner Guard in Designer White by Inpro

**Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 10 26 00

PRODUCT DESCRIPTION: 150 Corner Guards offer quick installations with a continuous aluminum retainer that has preslotted holes. They conceal previous dings and scrapes with a variety of wing sizes, angles, and heights. Also achieve a finished look with color coordinated top and bottom caps included with every unit.



# Section 1: Summary

#### **Nested Method / Material Threshold**

#### CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

 Material C Product

Threshold level

€ 100 ppm C 1.000 ppm

C Per GHS SDS C Per OSHA MSDS

C Other

Residuals/Impurities

Residuals/Impurities Considered in 3 of 3 Materials

for Residuals/Impurities? C Yes C No

All Substances Above the Threshold Indicated Are:

 ○ Yes Ex/SC Yes No Characterized

% weight and role provided for all substances.

 ○ Yes Ex/SC Yes No Screened

All substances screened using Priority Hazard Lists with results disclosed.

O Yes Ex/SC O Yes @ No. Identified

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL I SUBSTANCE I RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM [ ALUMINUM LT-P1 | RES | PHY | END MAGNESIUM LT-UNK | PHY SILICON LT-UNK IRON LT-P1 END COPPER LT-UNK MANGANESE LT-P1 | END | MUL | REP CHROMIUM LT-P1 | RES | END | SKI ZINC LT-P1 | AQU | PHY | END | MUL | POLYVINYL CHLORIDE RESIN | POLYVINYL CHLORIDE (PVC) LT-P1 | RES UNDISCLOSED NoGS UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UN UNDISCLOSED LT-1 PBT | DEL | MUL UNDISCLOSED LT-1 | PBT | SKI | DEL | MAWI | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 | UNDISCLOSED LT-UNK UNDISCLOSED LT-WINK UNDISCLOSED MOS UNDISCLOSED LT-P1 | END | DESIGNER WHITE PIGMENT |

[POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NOGS UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | Number of Greenscreen BM-4/BM3 contents ... 1 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenquard VOC emissions: Greenguard Gold

Multi-attribute: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER-VERIFICATION #:

SCREENING DATE: 2017-08-28 PUBLISHED DATE: 2019-03-11 EXPIRY DATE: 2020-08-28



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

LUMINUM	%: 45.12	280		
ATERIAL THRESHOLD: 100 ppm	RESIDUALS	AND IMPURITIES CONSIDERED: Yes		
ESIDUALS AND IMPURITIES NOTES: Residuals	s and impurities were considered in this material			
THER MATERIAL NOTES: None				
AL LINAINU NA				- 7400 00
ALUMINUM	al and Materials Library	1474DD 00D558W0 D475 2017 09 20		ID: <b>7429-9</b> 0
HAZARD SCREENING METHOD: Pharos Chemica		HAZARD SCREENING DATE: 2017-08-28	2015 Aluminum Ingradient	
%: <b>99.3500</b>	gs: LT-P1	RC: None NANO: No	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitize	r-induced	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire sponta	neously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water	er releases flammable gases	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disrup	tor	
SUBSTANCE NOTES: None				
MAGNESIUM			I	ID: <b>7439-9</b>
HAZARD SCREENING METHOD: Pharos Chemica	ıl and Materials Library	HAZARD SCREENING DATE: 2017-08	-28	
%: 0.9000	gs: LT-UNK	RC: None NANO: No	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire sponta	neously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with wat	er releases flammable gases which may ignite spon	taneously
SUBSTANCE NOTES: None				
SILICON			1	ID: <b>7440-2</b>
HAZARD SCREENING METHOD: Pharos Chemica	ıl and Materials Library	HAZARD SCREENING DATE: 2017-08	3-28	
%: <b>0.6000</b>	gs: LT-UNK	RC: None NANO: No	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: None				
IRON			-	ID: <b>7439-8</b>
HAZARD SCREENING METHOD: Pharos Chemica	al and Materials Library	HAZARD SCREENING DATE: 2017-08-2	В	
%: <b>0.3500</b>	gs: LT-P1	RC: None NANO: No	ROLE: Aluminum Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		

COPPER

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2017-08-28

\*\*\*: 0.1000

GS: LT-UNK

RC: None

NANO: No

ROLE: Aluminum Ingredient

WARNINGS

SUBSTANCE NOTES: None

MANGANESE ID: 7439-96-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-08-28 %: **0.1000** GS: **LT-P1** RC: None NANO: No ROLE: Aluminum Ingredient HAZARD TYPE AGENCY AND LIST TITLES WARNINGS ENDOCRINE Potential Endocrine Disruptor TEDX - Potential Endocrine Disruptors MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters REPRODUCTIVE Japan - GHS Toxic to reproduction - Category 1B

SUBSTANCE NOTES: None

CHROMIUM ID: 7440-47-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-08-28 GS: LT-P1 %: **0.1000** ROLE: Aluminum Ingredient RC: None NANO: No HAZARD TYPE AGENCY AND LIST TITLES RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor SKIN SENSITIZE MAK Sensitizing Substance Sh - Danger of skin sensitization SUBSTANCE NOTES: None

ZINC ID: 7440-66-6 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-08-28 %: **0.1000** GS: LT-P1 RC: None NANO: **No** ROLE: Aluminum Ingredient HAZARD TYPE AGENCY AND LIST TITLES ACUTE AQUATIC EU - GHS (H-Statements) H400 - Very toxic to aquatic life CHRON AQUATIC EU - GHS (H-Statements) H410 - Very toxic to aquatic life with long lasting effects PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H260 - In contact with water releases flammable gases which may ignite spontaneously **ENDOCRINE TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters SUBSTANCE NOTES: None

**POLYVINYL CHLORIDE RESIN** 

%: 30.7690

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: <b>88.7810 - 88.7810</b>	GS: LT-P1	RC: None	NANO: <b>No</b>	ROLE: Profile Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sens	sitizer-induced

SUBSTANCE NOTES: None

UN				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 7.1000	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: PVC additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Proprietary based on supplier information

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING D	HAZARD SCREENING DATE: 2017-08-28		
%: 3.3730 - 3.3730	gs: <b>BM-3</b>	RC: None	nano: <b>No</b>	ROLE: Profile Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
	No hazards found				
CURRETANCE NOTES. None					

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2017-08-28		
%: 2.4651 - 2.4651	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Profile Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
	No hazards found				
SUBSTANCE NOTES: None					

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2017-08-28			
%: 2.2198 - 2.2198	GS: LT-UNK	RG: None	nano: <b>No</b>	ROLE: Profile Resin Ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
	No hazards found					
SUBSTANCE NOTES: None						

UN	DI	SC	LO	SI	ΕD

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28	
%: <b>1.7754 - 1.7754</b>	gs: LT-UNK	RC: None NANO: No ROLE: Profile Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	No hazards found		
SLIBSTANCE NOTES: None			

UNDISCLOSED				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 1.4201 - 1.4201	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Profile Resin Ingredient
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS	
	No hazards found			
SUBSTANCE NOTES: None				

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28			
%: 0.9590 - 0.9590	GS: LT-1 RC: None		nano: <b>No</b>	ROLE: Profile Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
PBT	OSPAR - Priority PBTs & EDs & equivalent co	OSPAR - Priority PBTs & EDs & equivalent concern		riority Action	
SKIN SENSITIZE	EU - GHS (H-Statements)	EU - GHS (H-Statements)		allergic skin reaction	
DEVELOPMENTAL	EU - GHS (H-Statements)		H361d - Suspected of damaging the unborn child		
ORGAN TOXICANT	EU - GHS (H-Statements)	EU - GHS (H-Statements)		ge to organs through prolonged or repeated exposure	
MULTIPLE	German FEA - Substances Hazardous to Wat	German FEA - Substances Hazardous to Waters		ard to Waters	

SUBSTANCE NOTES: None

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2017-08-28		
%: <b>0.7545 - 0.7545</b>	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Profile Resin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
	No hazards found				
SUBSTANCE NOTES: None					

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28			
%: 0.2000 - 0.2000	GS: LT-1 RC: None		NANO: No ROLE: Stabilizer component		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
PBT	OSPAR - Priority PBTs & EDs & equivalent concern		PBT - Chemical for Priority Action		
DEVELOPMENTAL	EU - GHS (H-Statements)		H361d - Suspected of damaging the unborn child		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

SUBSTANCE NOTES: Component of MARK 1957 stabilizer

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28			
	%: 0.1775 - 0.1775	gs: LT-P1	RC: None	nano: <b>No</b>	ROLE: Profile Resin Ingredient
	HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	

SUBSTANCE NOTES: None

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2017-08-28

%: 0.1000	GS: LT-P1	RC: Non	e NANO	: No ROLE: Sta	abilizer Component	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
	No hazards found					
SUBSTANCE NOTES: Not Hazardous Stabilizer comp	ponent					
UNDISCLOSED						
HAZARD SCREENING METHOD: Pharos Chemical and M	flaterials Library	HAZARD SCREENING	DATE: <b>2017-08-28</b>			
%: 0.0888 - 0.0888	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Profile R	esin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
	No hazards found					
SUBSTANCE NOTES: None						
UNDISCLOSED						
HAZARD SCREENING METHOD: Pharos Chemical and M	Naterials Library	HAZARD SCREENING	DATE: <b>2017-08-28</b>			
%: 0.0444 - 0.0444	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Profile R	esin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
	No hazards found					
SUBSTANCE NOTES: None						
UNDISCLOSED						
HAZARD SCREENING METHOD: Pharos Chemical and M	flaterials Library	HAZARD SCREENING DAT	E: 2017-08-28			
%: 0.0178 - 0.0178	GS: NoGS	RC: None	NANO: <b>No</b>	ROLE: Profile Res	sin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
	No hazards found					
SUBSTANCE NOTES: None						
UNDISCLOSED						
HAZARD SCREENING METHOD: Pharos Chemical and N	flaterials Library	HAZARD SCREENING DA	TE: 2017-08-28			
%: 0.0001 - 0.0001	GS: LT-P1	RC: None	NANO: <b>No</b>	ROLE: Profile Res	sin Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrin	ne Disruptor		
SUBSTANCE NOTES: None						
DESIGNER WHITE PIGMENT	9	%: 2.4620				
MATERIAL THRESHOLD: 100 ppm	R	RESIDUALS AND IMPURITIES	CONSIDERED: Yes			
RESIDUALS AND IMPURITIES NOTES: Residuals and i	mpurities were considered in this mate	erial				
OTHER MATERIAL NOTES: None						
POLYETHYLENE TEREPHTHALATE GLYCOL (F	PETG)					ID: <b>25640-14-</b> 6
HAZARD SCREENING METHOD: Pharos Chemical and M	Materials Library	HAZARD S	CREENING DATE: 201	7-08-28		
%: 63.5000	GS: <b>NoGS</b>	RC: Non	e NANG	o: No ROLE: F	Pigment Ingredient	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: None

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and M	Materials Library	HAZARD SCREENING DAT	E: 2017-08-28		
%: 35.0800 - 35.0800	GS: LT-1	RC: None	nano: <b>No</b>	ROLE: Pigment Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		ıptor	
CANCER	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low		n-genotoxic carcinogen with low risk under MAK/BAT levels	

SUBSTANCE NOTES: None

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library  %: 1.0000 - 1.0000 GS: LT-UNK		HAZARD SCREENING	HAZARD SCREENING DATE: 2017-08-28			
		RC: None	nano: <b>No</b>	ROLE: Pigment Ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	ids		
	No hazards found					

SUBSTANCE NOTES: None

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2017-08-28			
%: 0.1700 - 0.1700	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Pigment Ingredient		
HAZARD TYPE	AGENCY AND LIST TITLES	WA	WARNINGS			
	No hazards found					

SUBSTANCE NOTES: None

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2017-08-28		
%: <b>0.1700 - 0.1700</b>	GS: LT-P1	RC: None	NANO: <b>No</b>	ROLE: Pigment Ingredient	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to W	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	

SUBSTANCE NOTES: None

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-08-28		
%: 0.0800 - 0.0800	GS: LT-UNK	RC: None	NANO: <b>No</b>	ROLE: Pigment Ingredient

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

OUROTANOE NOTES None



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Greenquard

ISSUE DATE: 2009-03-12

EXPIRY DATE: 2020-03-12

CERTIFIER OR LAB: UL Environment

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL: https://spot.ul.com

CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Certification Number: 6625-410 Certification Status: Certified

**VOC EMISSIONS** 

**Greenquard Gold** 

ISSUE DATE: 2009-03-12

EXPIRY DATE: 2020-03-12

CERTIFIER OR LAB: UL Environment

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL: https://spot.ul.com

CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status: Certified

MULTI-ATTRIBUTE

**Environmental Product** Declaration

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE EXPIRY DATE: 2013-

LAB: UL DATE:

CERTIFICATE URL:  $https://easternus.azureedge.net/\sim/media/Inpro/TDM\%20Files/Documents/l/n/p/r/o/Inpro\%20Corner\%20Guard\%20EPDIPC2288\%20Rev1pdf.ashx?$ 

2018-Environment 11-08 11-08

modified=20170414105638

CERTIFICATION AND COMPLIANCE NOTES: "Environmental Product Declarations (EPDs) certified by UL enable manufacturers to make those disclosures in a credible, streamlined and universally understood manner. An Environmental Product Declaration is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that the correct type of information is in the report. UL-certified EPDs demonstrate a manufacturer's commitment to sustainability while showcasing that manufacturer's willingness to go above and beyond -all in the name of transparency and clarity. They also help purchasers to better understand a product's sustainable qualities and environmental repercussions. As such, certified EPDs equip manufacturers with a valuable tool for differentiation and empower customers to make more informed purchasing decisions." To learn more: http://services.ul.com/service/environmental-product-declaration/



### **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations, For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.



# Section 5: General Notes

None

#### MANUFACTURER INFORMATION

MANUFACTURER: Inpro

ADDRESS: S80W18766 Apollo Drive

Muskego WI 53150, U

WEBSITE: www.inprocorp.com

CONTACT NAME: Laura Loucks TITLE: Sustainability Specialist

PHONE: 2626799010

EMAIL: laloucks@inprocorp.com

# **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

#### Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms

#### Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

**GLO** Global warming PHY Physical Hazard (reactive) MAM Mammalian/systemic/organ toxicity **REP** Reproductive toxicity MUL Multiple hazards **RES** Respiratory sensitization **NEU** Neurotoxicity SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity

**OZO** Ozone depletion PRT Persistent Bioaccumulative Toxic

> LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

NF Not found on Priority Hazard Lists

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section. The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.