

HPD UNIQUE IDENTIFIER: 28098

CLASSIFICATION: 10 26 13 Corner Guards

PRODUCT DESCRIPTION: The 150 High Impact Surface Mount Corner Guard provides a 3" wing with 90° corner protection and offers quick installation with a pre-slotted continuous aluminum retainer

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities, and Characterized/Screened/Identified. Includes options for reporting methods and threshold levels, and a summary of screening results.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE ALUMINUM [ALUMINUM NoGS ZINC LT-P1 | AQU | PHY | END | MUL MAGNESIUM LT-UNK | PHY IRON LT-P1 | END SILICON LT-UNK] POLYVINYL CHLORIDE RESIN [POLYVINYL CHLORIDE (PVC) LT-P1 | RES UNDISCLOSED NoGS UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL | MAM | SKI | DEV UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL | DEV UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-P1 | END] DESIGNER WHITE PIGMENT [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD utilizes Designer White pigment, however all pigment colors have a similar chemical makeup

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified Multi-attribute: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Summary table with 3 columns: Third Party Verified?, PREPARER: Self-Prepared, SCREENING DATE: 2020-07-30; VERIFIER: VERIFICATION #: PUBLISHED DATE: 2022-04-05; EXPIRY DATE: 2023-07-30

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ALUMINUM

%: 45.1280

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this HPD

OTHER MATERIAL NOTES:

ALUMINUM

ID: 91728-14-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-07-30 20:54:41

%: 0.9900

GS: NoGS

RC: Both

NANO: No

SUBSTANCE ROLE: Monomer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-07-30 20:54:44

%: 0.0100

GS: LT-P1

RC: Both

NANO: No

SUBSTANCE ROLE: Monomer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

AQU

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

AQU

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

PHY

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHY

EU - GHS (H-Statements)

H260 - In contact with water releases flammable gases which may ignite spontaneously

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MUL

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

MAGNESIUM

ID: 7439-95-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-07-30 20:54:44

%: 0.0100

GS: LT-UNK

RC: Both

NANO: No

SUBSTANCE ROLE: Monomer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES:

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:43**

%: **0.0100** GS: **LT-P1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES:

SILICON

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:44**

%: **0.0100** GS: **LT-UNK** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYVINYL CHLORIDE RESIN

%: 30.7690 - 30.7690

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered.

OTHER MATERIAL NOTES: No other material notes to consider.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:40**

%: **88.7810 - 88.7810** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced

SUBSTANCE NOTES: None

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:40**

%: 7.1000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:40**

%: 3.3730 - 3.3730 GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:41**

%: 2.4651 - 2.4651 GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:41**

%: 2.2198 - 2.2198 GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:41**

%: 1.7754 - 1.7754 GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-30 20:54:41		
%: 1.4201 - 1.4201	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Proprietary based on supplier information				

UNDISCLOSED ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-30 20:54:42		
%: 0.9590 - 0.9590	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure		
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
DEV	EU - GHS (H-Statements)	H361d - Suspected of damaging the unborn child		
SUBSTANCE NOTES: Proprietary based on supplier information				

UNDISCLOSED ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-30 20:54:42		
%: 0.7545 - 0.7545	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Proprietary based on supplier information				

UNDISCLOSED ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-30 20:54:42		
%: 0.2000 - 0.2000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
DEV	EU - GHS (H-Statements)	H361d - Suspected of damaging the unborn child		
SUBSTANCE NOTES: Component of MARK 1957 stabilizer				

UNDISCLOSED ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-30 20:54:42		
---	--	---	--	--

#: 0.1775 - 0.1775 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Proprietary based on supplier information

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:43**

#: 0.1000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Not Hazardous Stabilizer component

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:43**

#: 0.0888 - 0.0888 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Lubricant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:43**

#: 0.0444 - 0.0444 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-07-30 20:54:43**

#: 0.0178 - 0.0178 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-30 20:54:44		
%: 0.0001 - 0.0001	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES: Proprietary based on supplier information				

DESIGNER WHITE PIGMENT		%: 2.4620 - 2.4620		
MATERIAL THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material		
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered				
OTHER MATERIAL NOTES: None				

POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)		ID: 25640-14-6		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-30 20:54:40		
%: 63.5000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

UNDISCLOSED		ID: Undisclosed		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-30 20:54:40		
%: 35.0800 - 35.0800	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
SUBSTANCE NOTES: Proprietary based on supplier information				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-03-	EXPIRY DATE: 2023-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	12	03-12	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1e81d55b0e82d946a0bc3?page_type=Products%20Catalog			
CERTIFICATION AND COMPLIANCE NOTES: Certificate # 6625-420			

MULTI-ATTRIBUTE	Environmental Product Declaration (EPD) by UL		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-10-	EXPIRY DATE: 2024-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	01	09-30	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1ea7255b0e82d946a4dd6?page_type=Products%20Catalog			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

HARDWARE	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Hardware is used to secure the aluminum retainer portion of the corner guard to the wall. Hardware may include: #8 x 1-1/2" Phillips flat head sheet metal screws, #10 x 1-3/4" Phillips pan head sheet metal screws, 1/4" plastic alligator anchors, #8 x 1-1/4" Phillips flat-head self-tapping screws, and/or #8 x 1-1/2" Phillips indented hex washer head self-drilling screws	

TOP/BOTTOM CAPS	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Top/Bottom Caps are used to give the corner guard a finished look, while also preventing snags, injuries, and/or dust build-up	

Section 5: General Notes

90°, 3" (76mm) wing - .080" (2mm) rigid vinyl cover - .070" (1.8mm) continuous aluminum retainer - Standard Heights: 4' (1.22m), 8' (2.44m), 9'(2.74m), 12' (3.66m) - Offer quick installations with a continuous aluminum retainer that has pre-slotted holes - Conceal previous dings and scrapes with a variety of wing sizes, angles and heights - Achieve a finished look with color coordinated top and bottom caps included with every unit - For irregular corner installations, custom flexible top and bottom caps are available in a variety of standard solid colors to complete the installation

MANUFACTURER INFORMATION

MANUFACTURER: **Inpro**
 ADDRESS: **S80 W18766 Apollo Drive**
Muskego Wisconsin 53150, United States
 WEBSITE: **www.inprocorp.com**

CONTACT NAME: **Jess Jenkins**
 TITLE: **Environmental and Technical Project Specialist**
 PHONE: **2626799010**
 EMAIL: **jjenkins@inprocorp.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.