G2 BioBlend 700 Wall Guard in Designer White by Inpro

HPD UNIQUE IDENTIFIER: 21359

CLASSIFICATION: 10 26 16 Bumper Guards PRODUCT DESCRIPTION: The 700 series wall guard provides a continuous impact bumper mounted on continuous aluminum retainer. Non-PVC cover is manufactured with G2 BioBlend Inpro's exclusive reformulated PETG made with a com-based biopolymer.

🟮 Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method
 Rasic Method

Threshold Disclosed Per

Material

C Product

Threshold level

100 ppm
1,000 ppm
Per GHS SDS
Other

Residuals/Impurities Residuals/Impurities Considered in 4 of 4 Materials

Explanation(s) provided for Residuals/Impurities? **Nested Method / Material Threshold**

All Substances Above the Threshold Indicated Are:

Characterized	🔿 Yes Ex/SC 🖸 Yes 🔿 No
% weight and role provided for all substances.	
Screened	○ Yes Ex/SC
All substances screened using Priority Hazard L	l ists with results disclosed

Identified Or Yes Ex/SC Or Yes Or No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE ALUMINUM [ALUMINUM NGS SILICON T-UNK IRON T-P1 | END MAGNESIUM T-UNK | PHY ZINC T-P1 | AQU | PHY | END | MUL] G2 BIOBLEND RESIN [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NGGS UNDISCLOSED NGGS UNDISCLOSED NGGS] FIRE RETARDANT [UNDISCLOSED NGGS UNDISCLOSED BM-1 [DESIGNER WHITE PIGMENT [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NGGS UNDISCLOSED

1 | CAN | END]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT VOC Content data is not applicable for this product category. Benchmark or List translator Score ... BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES: None

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Greenguard Gold

Multi-attribute: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-08-10 PUBLISHED DATE: 2020-08-10 EXPIRY DATE: 2023-08-10 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

%: 77.6200

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this HPD

OTHER MATERIAL NOTES:

ALUMINUM

ALUMINUM ID: 91728-14-2					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DA	TE: 2020-08-10		
%: 0.9900	GS: NoGS	RC: Both	NANO: NO	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found				No warnings found on HPD Priority	y Hazard Lists
SUBSTANCE NOTES:					
SILICON					ID: 7440-21-3
HAZARD SCREENING METHOD: Pharos Chemical and Ma	iterials Library	HAZARD SCREENING	g date: 2020-08-10		
%: 0.0100	GS: LT-UNK	RC: Both	NANO: NO	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			u Henevel Liste
None found				No warnings found on HPD Priority	y Hazard Lists
SUBSTANCE NOTES:					
IRON					ID: 7439-89-6
HAZARD SCREENING METHOD: Pharos Chemical and Ma	tterials Library	HAZARD SCREENING DA	ATE: 2020-08-10		
%: 0.0100	GS: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Enc	docrine Disruptor		
SUBSTANCE NOTES:					
MAGNESIUM					ID: 7439-95-4
HAZARD SCREENING METHOD: Pharos Chemical and Ma	terials Library	HAZARD SCREENING	G DATE: 2020-08-10		
%: 0.0100	GS: LT-UNK	RC: Both	NANO: NO	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catch	nes fire spontaneously if	exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In cor	ntact with water release	s flammable gases which may ignite spo	ontaneously
SUBSTANCE NOTES:					
ZINC					ID: 7440-66-6
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DA	ATE: 2020-08-10		
%: 0.0100	GS: LT-P1	RC: Both	NANO: NO	SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very t	toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very t	toxic to aquatic life with	long lasting effects	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catch	nes fire spontaneously if	exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In cor	ntact with water release	s flammable gases which may ignite spo	ontaneously
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	docrine Disruptor		

SUBSTANCE NOTES:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

G2 BIOBLEND RESIN	%: 18.1300							
ATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material								
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this product								
OTHER MATERIAL NOTES:								
POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)				ID: 25640-14-6				
HAZARD SCREENING METHOD: Pharos Chemical and Materi	ials Library	HAZARD SCREENING DATE:	2020-08-10					
%: 72.0000 - 72.0000 GS	NoGS	RC: None	NANO: NO	SUBSTANCE ROLE: Polymer species				
HAZARD TYPE AC	GENCY AND LIST TITLES		WARNINGS					
None found				No warnings found on HPD Priority Hazard Lists				
SUBSTANCE NOTES: None								
-								
UNDISCLOSED								
HAZARD SCREENING METHOD: Pharos Chemical and Materi	AZARD SCREENING METHOD: Pharos Chemical and Materials Library		2020-08-10					
%: 14.9000 - 14.9000 GS	NoGS	RC: None	NANO: NO	SUBSTANCE ROLE: Polymer species				
HAZARD TYPE AC	GENCY AND LIST TITLES		WARNINGS					
None found				No warnings found on HPD Priority Hazard Lists				
SUBSTANCE NOTES: Propriety according to supplier requ	Jest							
UNDISCLOSED								
HAZARD SCREENING METHOD: Pharos Chemical and Materi	ials Library	HAZARD SCREENING DATE:	2020-08-10					
%: 13.0000 - 13.0000 GS	noGS	RC: None	NANO: NO	SUBSTANCE ROLE: Polymer species				
HAZARD TYPE AC	GENCY AND LIST TITLES		WARNINGS					
None found				No warnings found on HPD Priority Hazard Lists				
SUBSTANCE NOTES: Propriety according to supplier requ	uest							
FIRE RETARDANT	%: 2.2400							
MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes				MATERIAL TYPE: Polymeric Material				

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this material

OTHER MATERIAL NOTES: None

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-10				
%: 90.0000 - 90.0000	GS: NoGS	RC: None	NANO: NO	SUBSTANCE ROLE: Flame retardant		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
None found				No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Proprietary based on supplier in	nformation.					
UNDISCLOSED						
HAZARD SCREENING METHOD: Pharos Chemical and M	aterials Library	HAZARD SCREENING DATE:	2020-08-10			
HAZARD SCREENING METHOD: Pharos Chemical and M %: 25.0000 - 25.0000	aterials Library GS: BM-1	HAZARD SCREENING DATE:	2020-08-10 NANO: No	SUBSTANCE ROLE: Flame retardant		
	-			SUBSTANCE ROLE: Flame retardant		
%: 25.0000 - 25.0000	GS: BM-1		NANO: No	SUBSTANCE ROLE: Flame retardant		
%: 25.0000 - 25.0000 HAZARD TYPE	GS: BM-1		NANO: No			
%: 25.0000 - 25.0000 HAZARD TYPE None found	GS: BM-1		NANO: No			

DESIGNER WHITE PIGMENT

%: 0.9000

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)

ID: 25640-14-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-10		
%: 63.5000	GS: NOGS	RC: None	NANO: NO	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-10			
%: 35.0800 - 35.0800	GS: LT-1 RC: None		NANO: NO SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CANCER	МАК		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	МАК		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: Propriety according to supplier request

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Greenguard Gold		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-03-12	EXPIRY DATE: 2020-03-12	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: All			
CERTIFICATE URL: https://spot.ul.com/			

CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status: Certified

MULTI-ATTRIBUTE

	Declar	ation	
CERTIFYING PARTY: Third Party	ISSUE	EXPIRY	CERTIFIER OR
APPLICABLE FACILITIES: All	DATE:	DATE:	LAB: UL
CERTIFICATE URL:	2013-	2018-	Environment
https://easternus.azureedge.net/~/media/Inpro/TDM%20Files/Documents/I/n/p/r/o/Inpro%20Corner%20Guard%20EPDIPC2288%20Rev1pdf.ashx?	11-08	11-08	

modified=20170414105638

CERTIFICATION AND COMPLIANCE NOTES: "Environmental Product Declarations (EPDs) certified by UL enable manufacturers to make those disclosures in a credible, streamlined and universally understood manner. An Environmental Product Declaration is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that the correct type of information is in the report. UL-certified EPDs demonstrate a manufacturer's commitment to sustainability while showcasing that manufacturer's willingness to go above and beyond -all in the name of transparency and clarity. They also help purchasers to better understand a product's sustainable qualities and environmental repercussions. As such, certified EPDs equip manufacturers with a valuable tool for differentiation and empower customers to make more informed purchasing decisions." To learn more: http://services.ul.com/service/environmental-product-declaration/

🔁 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

Section 5: General Notes

None

Environmental Product

MANUFACTURER INFORMATION

MANUFACTURER: Inpro ADDRESS: S80W18766 Apollo Drive Muskego WI 53150, USA WEBSITE: www.inprocorp.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge

KEY

Hazard Types AQU Aquatic toxicity **CAN** Cancer DEV Developmental toxicity **END** Endocrine activity EYE Eye irritation/corrosivity **GEN** Gene mutation GLO Global warming

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical) BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes) BM-1 Benchmark 1 (avoid - chemical of high concern) BM-U Benchmark Unspecified (due to insufficient data) LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section. The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain. The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple **NEU** Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) **REP** Reproductive **RES** Respiratory sensitization SKI Skin sensitization/irritation/corrosivity **UNK** Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

CONTACT NAME: Laura Loucks TITLE: Sustainability Specialist PHONE: 262-679-9010 EMAIL: laloucks@inprocorp.com